

Code: UBS12



# UNC-UNF

## STAINLESS STEEL

18-8 / 316 Hexagon Bolt

**BRIGHTON-BEST INTERNATIONAL**



Tested, Tried and True™





## Your one stop shop...24/7

www.brightonbest.com will give our customers the opportunity to check stock, receive instant quotations, place orders, monitor order status and access Material Certification reports all without having to wait on hold or send a fax. We are constantly looking for the best ways to serve all your fastener needs.

www.**brightonbest**.com

CHECK INVENTORY

RECEIVE INSTANT QUOTATIONS

PLACE ORDERS

MONITOR ORDER STATUS

ACCESS MATERIAL CERTIFICATION REPORTS



**BRIGHTON-BEST  
INTERNATIONAL**



**1/2**  
**INCH**  
**HEXAGON BOLT**  
ASTM F593  
**18-8 STAINLESS STEEL**



**1/2**  
**INCH**  
**HEXAGON BOLT**  
ASTM F593  
**18-8 STAINLESS STEEL**

Diameter	Length	Box	Weight KG/100	Code
<b>1/4" UNC</b>	1/2"	100	0.536	400002
	5/8"	100	0.595	400004
	3/4"	100	0.655	400006
	7/8"	100	0.714	400008
	1"	100	0.791	400010
	1-1/8"	100	0.868	400011
	1-1/4"	100	0.945	400012
	1-3/8"	100	1.027	400013
	1-1/2"	100	1.105	400014
	1-3/4"	100	1.259	400016
	2"	100	1.418	400018
	2-1/4"	100	1.573	400020
	2-1/2"	100	1.732	400022
	2-3/4"	100	1.886	400024
	3"	100	2.045	400026
	3-1/4"	50	2.200	400027
	3-1/2"	50	2.359	400028
	3-3/4"	50	2.514	400029
	4"	50	2.673	400030
	4-1/2"	50	2.986	400031
	5"	50	3.300	400032
	5-1/2"	50	3.614	400033
	6"	50	3.927	400034
<b>1/4" UNF</b>	1/2"	100	0.536	400036
	5/8"	100	0.595	400038
	3/4"	100	0.655	400040
	7/8"	100	0.714	400042
	1"	100	0.791	400044
	1-1/4"	100	0.945	400046
	1-1/2"	100	1.105	400048
	1-3/4"	100	1.259	400050
	2"	100	1.418	400052
	2-1/4"	100	1.573	400054
	2-1/2"	100	1.732	400056
	2-3/4"	100	1.886	400058
	3"	100	2.045	400060
	3-1/4"	50	2.200	400061
	3-1/2"	50	2.359	400062
	3-3/4"	50	2.514	400063
	4"	50	2.673	400064
	4-1/2"	50	2.986	400065
	5"	50	3.300	400066
	5-1/2"	50	3.614	400067
	6"	50	3.927	400068
<b>5/16" UNC</b>	1/2"	100	0.905	400070
	5/8"	100	1.000	400072
	3/4"	100	1.095	400074
	7/8"	100	1.191	400076
	1"	100	1.286	400078
	1-1/8"	100	1.409	400079
	1-1/4"	100	1.532	400080
	1-3/8"	100	1.655	400081
	1-1/2"	100	1.777	400082
	1-3/4"	100	2.023	400084
	2"	100	2.268	400086
	2-1/4"	100	2.509	400088
	2-1/2"	100	2.755	400090
	2-3/4"	100	3.000	400092
	3"	100	3.245	400094
	3-1/4"	50	3.491	400095
	3-1/2"	50	3.732	400096
	3-3/4"	50	3.977	400097

Diameter	Length	Box	Weight KG/100	Code
<b>5/16" UNC ... Continues</b>	4"	50	4.223	400098
	4-1/2"	50	4.714	400099
	5"	50	5.200	400101
	5-1/2"	50	5.691	400103
	6"	50	6.177	400105
<b>5/16" UNF</b>	1/2"	100	0.905	400100
	5/8"	100	1.000	400102
	3/4"	100	1.095	400104
	7/8"	100	1.191	400106
	1"	100	1.286	400108
	1-1/4"	100	1.532	400110
	1-1/2"	100	1.777	400112
	1-3/4"	100	2.023	400114
	2"	100	2.268	400116
	2-1/4"	100	2.509	400118
	2-1/2"	100	2.755	400120
	2-3/4"	100	3.000	400122
	3"	100	3.245	400124
	3-1/4"	50	3.491	400125
	3-1/2"	50	3.732	400126
	3-3/4"	50	3.977	400127
	4"	50	4.223	400128
	4-1/2"	50	4.714	400129
	5"	50	5.200	400131
	5-1/2"	50	5.691	400133
	6"	50	6.177	400135
<b>3/8" UNC</b>	1/2"	100	1.332	400130
	5/8"	100	1.473	400132
	3/4"	100	1.614	400134
	7/8"	100	1.755	400136
	1"	100	1.895	400138
	1-1/8"	100	2.055	400139
	1-1/4"	100	2.209	400140
	1-1/2"	100	2.564	400142
	1-3/4"	100	2.918	400144
	2"	100	3.268	400146
	2-1/4"	100	3.623	400148
	2-1/2"	100	3.973	400150
	2-3/4"	100	4.327	400152
	3"	100	4.682	400154
	3-1/4"	50	5.032	400156
	3-1/2"	50	5.386	400158
	3-3/4"	50	5.736	400160
	4"	50	6.091	400162
	4-1/4"	50	6.445	400163
	4-1/2"	50	6.795	400164
	4-3/4"	50	7.150	400165
	5"	50	7.500	400166
	5-1/2"	50	8.209	400168
	6"	50	8.914	400169
<b>3/8" UNF</b>	1/2"	100	1.332	400172
	5/8"	100	1.473	400174
	3/4"	100	1.614	400176
	7/8"	100	1.755	400178
	1"	100	1.895	400180
	1-1/8"	100	2.055	400181
	1-1/4"	100	2.209	400182
	1-1/2"	100	2.564	400184
	1-3/4"	100	2.918	400186
	2"	100	3.268	400190
	2-1/4"	100	3.623	400192





**1/2" INCH  
HEXAGON BOLT**  
ASTM F593  
18-8 STAINLESS STEEL



**1/2" INCH  
HEXAGON BOLT**  
ASTM F593  
18-8 STAINLESS STEEL

Diameter	Length	Box	Weight KG/100	Code
<b>3/8" UNC ... Continues</b>				
	2-1/2"	100	3.973	400194
	2-3/4"	100	4.327	400196
	3"	100	4.682	400198
	3-1/4"	50	5.032	400200
	3-1/2"	50	5.386	400202
	3-3/4"	50	5.736	400204
	4"	50	6.091	400206
	4-1/2"	50	6.795	400208
	5"	50	7.500	400210
	5-1/2"	50	8.209	400211
	6"	50	8.914	400212
<b>7/16" UNC</b>	3/4"	100	2.309	400214
	7/8"	100	2.500	400216
	1"	100	2.691	400218
	1-1/8"	100	2.882	400219
	1-1/4"	50	3.073	400220
	1-3/8"	50	3.314	400221
	1-1/2"	50	3.555	400222
	1-3/4"	50	4.036	400224
	2"	50	4.518	400226
	2-1/4"	50	5.000	400228
	2-1/2"	50	5.482	400230
	2-3/4"	50	5.964	400232
	3"	50	6.445	400234
	3-1/4"	25	6.927	400236
	3-1/2"	25	7.409	400238
	3-3/4"	25	7.891	400240
	4"	25	8.368	400242
	4-1/2"	25	9.332	400244
	5"	25	10.295	400246
	5-1/2"	25	11.259	400247
	6"	25	12.223	400248
<b>7/16" UNF</b>	3/4"	100	2.309	400250
	7/8"	100	2.500	400252
	1"	100	2.691	400254
	1-1/8"	100	2.882	400255
	1-1/4"	50	3.073	400256
	1-1/2"	50	3.555	400258
	1-3/4"	50	4.036	400260
	2"	50	4.518	400262
	2-1/4"	50	5.000	400264
	2-1/2"	50	5.482	400266
	2-3/4"	50	5.964	400268
	3"	50	6.445	400270
	3-1/4"	25	6.927	400272
	3-1/2"	25	7.409	400274
	3-3/4"	25	7.891	400276
	4"	25	8.368	400278
	4-1/2"	25	9.332	400280
	5"	25	10.295	400282
	5-1/2"	25	11.259	400283
	6"	25	12.223	400284
<b>1/2" UNC</b>	3/4"	50	3.682	400290
	7/8"	50	3.936	400292
	1"	50	4.191	400294
	1-1/8"	50	4.445	400295
	1-1/4"	50	4.700	400296
	1-3/8"	50	4.986	400297
	1-1/2"	50	5.268	400298
	1-5/8"	50	5.582	400299
	1-3/4"	50	5.895	400300

Diameter	Length	Box	Weight KG/100	Code
<b>1/2" UNC ... Continues</b>				
	1-7/8"	50	6.209	400301
	2"	50	6.523	400302
	2-1/4"	50	7.150	400304
	2-1/2"	50	7.777	400306
	2-3/4"	50	8.405	400308
	3"	50	9.032	400310
	3-1/4"	25	9.659	400312
	3-1/2"	25	10.286	400314
	3-3/4"	25	10.914	400316
	4"	25	11.541	400318
	4-1/4"	25	12.168	400319
	4-1/2"	25	12.795	400320
	4-3/4"	25	13.618	400321
	5"	15	14.050	400322
	5-1/4"	15	14.677	400323
	5-1/2"	15	15.305	400324
	5-3/4"	15	15.932	400325
	6"	10	16.559	400326
	6-1/2"	10	17.545	400328
	7"	10	18.591	400331
	8"	10	20.955	400335
	7-1/2"	10	19.773	400333
<b>1/2" UNF</b>	3/4"	50	3.682	400330
	7/8"	50	3.936	400332
	1"	50	4.191	400334
	1-1/4"	50	4.700	400336
	1-3/8"	50	4.986	400337
	1-1/2"	50	5.268	400338
	1-3/4"	50	5.895	400340
	2"	50	6.523	400342
	2-1/4"	50	7.150	400344
	2-1/2"	50	7.777	400346
	2-3/4"	50	8.405	400348
	3"	50	9.032	400350
	3-1/4"	25	9.659	400352
	3-1/2"	25	10.286	400354
	3-3/4"	25	10.914	400356
	4"	25	11.541	400358
	4-1/2"	25	12.795	400360
	5"	15	14.050	400362
	5-1/2"	15	15.305	400364
	6"	10	16.559	400366
	6-1/2"	10	17.545	400368
	7"	10	18.591	400371
	7-1/2"	10	19.773	400373
	8"	10	20.955	400375
<b>9/16" UNC</b>	1"	25	5.127	400370
	1-1/4"	25	5.777	400372
	1-1/2"	25	6.427	400374
	1-3/4"	25	7.223	400376
	2"	25	8.018	400378
	2-1/4"	25	8.814	400380
	2-1/2"	25	9.609	400382
	2-3/4"	25	10.409	400384
	3"	25	11.205	400386
	3-1/2"	25	12.795	400388
	4"	25	14.386	400390
	4-1/2"	25	15.977	400391
	5"	25	17.568	400392
	5-1/2"	25	19.164	400393
	6"	25	20.755	400394





**1/2**  
**INCH**  
**HEXAGON BOLT**  
ASTM F593  
**18-8 STAINLESS STEEL**



**3/4**  
**INCH**  
**HEXAGON BOLT**  
ASTM F593  
**18-8 STAINLESS STEEL**

Diameter	Length	Box	Weight KG/100	Code
<b>9/16" UNF ... Continues</b>				
	1"	25	5.127	400396
	1-1/4"	25	5.777	400398
	1-1/2"	25	6.414	400400
	1-3/4"	25	7.223	400402
	2"	25	8.018	400404
	2-1/4"	25	8.814	400406
	2-1/2"	25	9.609	400408
	2-3/4"	25	10.409	400410
	3"	25	11.205	400412
	3-1/2"	25	12.795	400414
	4"	25	14.386	400416
	4-1/2"	25	15.977	400417
	5"	25	17.568	400418
	5-1/2"	25	19.164	400419
	6"	25	20.755	400420
<b>5/8" UNC</b>				
	1"	25	6.891	400424
	1-1/4"	25	7.695	400426
	1-1/2"	25	8.500	400428
	1-3/4"	25	9.391	400430
	2"	25	10.373	400432
	2-1/4"	25	11.350	400434
	2-1/2"	25	12.332	400436
	2-3/4"	25	13.309	400438
	3"	25	14.291	400440
	3-1/4"	25	15.268	400442
	3-1/2"	25	16.250	400444
	3-3/4"	25	17.227	400445
	4"	25	18.209	400446
	4-1/4"	25	19.191	400447
	4-1/2"	25	20.168	400448
	4-3/4"	25	21.150	400449
	5"	25	22.127	400450
	5-1/4"	25	23.109	400451
	5-1/2"	25	24.086	400452
	5-3/4"	25	25.068	400453
	6"	25	26.045	400454
	6-1/2"	10	28.000	400456
	7"	10	29.909	400458
	7-1/2"	10	31.818	400461
	8"	10	33.682	400463
<b>5/8" UNF</b>				
	1"	25	6.891	400460
	1-1/4"	25	7.695	400462
	1-1/2"	25	8.500	400464
	1-3/4"	25	9.391	400466
	2"	25	10.373	400468
	2-1/4"	25	11.350	400470
	2-1/2"	25	12.332	400472
	2-3/4"	25	13.309	400474
	3"	25	14.291	400476
	3-1/4"	25	15.268	400478
	3-1/2"	25	16.250	400480
	3-3/4"	25	17.227	400481
	4"	25	18.209	400482
	4-1/2"	25	20.168	400484
	5"	25	22.127	400486
	5-1/2"	25	24.086	400488
	6"	25	26.045	400490
	6-1/2"	10	28.000	400492
	7"	10	29.909	400494
	7-1/2"	10	31.818	400496
	8"	10	33.682	400498

Diameter	Length	Box	Weight KG/100	Code
<b>3/4" UNC</b>				
	1"	25	11.118	400500
	1-1/4"	25	12.300	400502
	1-1/2"	25	13.482	400504
	1-3/4"	25	14.664	400506
	2"	25	15.964	400508
	2-1/4"	25	17.377	400510
	2-1/2"	25	18.791	400512
	2-3/4"	25	20.205	400514
	3"	25	21.618	400516
	3-1/4"	25	23.032	400518
	3-1/2"	25	24.445	400520
	3-3/4"	25	25.859	400522
	4"	10	27.273	400524
	4-1/4"	10	28.686	400525
	4-1/2"	10	30.100	400526
	4-3/4"	10	31.514	400527
	5"	10	32.927	400528
	5-1/2"	10	35.755	400530
	6"	10	38.582	400532
	6-1/2"	10	41.318	400534
	7"	10	44.045	400536
	7-1/2"	10	46.818	400538
	8"	10	49.545	400541
<b>3/4" UNF</b>				
	1"	25	11.209	400540
	1-1/4"	25	12.300	400542
	1-1/2"	25	13.482	400544
	1-3/4"	25	14.664	400546
	2"	25	15.964	400548
	2-1/4"	25	17.377	400550
	2-1/2"	25	18.791	400552
	2-3/4"	25	20.205	400554
	3"	25	21.618	400556
	3-1/4"	25	23.032	400558
	3-1/2"	25	24.445	400560
	3-3/4"	25	25.859	400562
	4"	10	27.273	400564
	4-1/2"	10	30.100	400566
	5"	10	32.927	400568
	5-1/2"	10	35.755	400570
	6"	10	38.582	400572
	6-1/2"	10	41.318	400574
	7"	10	44.045	400576
	7-1/2"	10	46.818	400578
	8"	10	49.545	400579
<b>7/8" UNC</b>				
	1-1/2"	15	19.964	400575
	1-3/4"	15	21.586	400577
	2"	15	23.209	400580
	2-1/4"	15	24.982	400582
	2-1/2"	15	26.905	400584
	2-3/4"	15	28.827	400586
	3"	15	30.750	400588
	3-1/4"	15	32.673	400590
	3-1/2"	15	34.595	400592
	3-3/4"	15	36.518	400594
	4"	15	38.441	400596
	4-1/4"	15	40.364	400597
	4-1/2"	15	42.286	400598
	5"	15	46.132	400600
	5-1/2"	15	49.977	400602
	6"	15	53.823	400604
	6-1/2"	10	57.727	400606
	7"	10	61.364	400608





**1/2" INCH  
HEXAGON BOLT**  
ASTM F593  
18-8 STAINLESS STEEL



**1/2" INCH  
HEXAGON BOLT**  
ASTM F593  
316 STAINLESS STEEL

Diameter	Length	Box	Weight KG/100	Code
<b>7/8" UNF ... Continues</b>				
	8"	10	68.636	400610
	1-1/2"	15	19.964	400613
	1-3/4"	15	21.586	400616
	2"	15	23.209	400620
	2-1/4"	15	24.982	400622
	2-1/2"	15	26.905	400624
	2-3/4"	15	28.827	400626
	3"	15	30.750	400628
	3-1/4"	15	32.673	400630
	3-1/2"	15	34.595	4 00632
	3-3/4"	15	36.518	400634
	4"	15	38.441	400636
	4-1/2"	15	42.286	400638
	5"	15	46.132	400640
	5-1/2"	15	49.977	400642
	6"	15	53.823	400644
	6-1/2"	10	57.727	400646
	7"	10	61.364	400648
	8"	10	68.636	400650
<b>1" UNC</b>	1-1/2"	10	27.627	400656
	1-3/4"	10	29.755	400658
	2"	10	31.882	400660
	2-1/4"	10	34.009	400662
	2-1/2"	10	36.327	400664
	2-3/4"	10	38.836	400666
	3"	10	41.345	400668
	3-1/4"	10	43.855	400670
	3-1/2"	10	46.364	400672
	4"	10	51.382	400674
	4-1/2"	10	56.400	400676
	5"	10	61.418	400678
	5-1/2"	10	66.436	400680
	6"	5	71.455	400682
	6-1/2"	5	77.273	400684
	7"	5	81.818	400685
	8"	5	91.818	400686
<b>1" UNF 14TPI</b>	1-1/2"	10	27.627	400688
	1-3/4"	10	29.755	400689
	2"	10	31.882	400690
	2-1/4"	10	34.009	400692
	2-1/2"	10	36.327	400694
	2-3/4"	10	38.836	400696
	3"	10	41.345	400698
	3-1/4"	10	43.855	400700
	3-1/2"	10	46.364	400702
	4"	10	51.382	400704
	4-1/2"	10	56.400	400706
	5"	10	61.418	400708
	5-1/2"	10	66.436	400710
	6"	5	71.455	400712
	6-1/2"	5	77.273	400714
	7"	5	81.818	400715
	8"	5	91.818	400716

Diameter	Length	Box	Weight KG/100	Code
<b>1/4" UNC</b>	1/2"	100	0.536	401002
	5/8"	100	0.595	401004
	3/4"	100	0.655	401006
	7/8"	100	0.714	401008
	1"	100	0.791	401010
	1-1/8"	100	0.868	401011
	1-1/4"	100	0.945	401012
	1-3/8"	100	1.027	401013
	1-1/2"	100	1.105	401014
	1-3/4"	100	1.259	401016
	2"	100	1.418	401018
	2-1/4"	100	1.573	401020
	2-1/2"	100	1.732	401022
	2-3/4"	100	1.886	401024
	3"	100	2.045	401026
	3-1/4"	50	2.200	401027
	3-1/2"	50	2.359	401028
	3-3/4"	50	2.514	401029
	4"	50	2.673	401030
	4-1/2"	50	2.986	401031
	5"	50	3.300	401032
	5-1/2"	50	3.614	401033
	6"	50	3.927	401034
<b>1/4" UNF</b>	1/2"	100	0.536	401036
	5/8"	100	0.595	401038
	3/4"	100	0.655	401040
	7/8"	100	0.714	401042
	1"	100	0.791	401044
	1-1/4"	100	0.945	401046
	1-1/2"	100	1.105	401048
	1-3/4"	100	1.259	401050
	2"	100	1.418	401052
	2-1/4"	100	1.573	401054
	2-1/2"	100	1.732	401056
	2-3/4"	100	1.886	401058
	3"	100	2.045	401060
	3-1/4"	50	2.200	401061
	3-1/2"	50	2.359	401062
	3-3/4"	50	2.514	401063
	4"	50	2.673	401064
	4-1/2"	50	2.986	401065
	5"	50	3.300	401066
	5-1/2"	50	3.614	401067
	6"	50	3.927	401068
<b>5/16" UNC</b>	1/2"	100	0.905	401070
	5/8"	100	1.000	401072
	3/4"	100	1.095	401074
	7/8"	100	1.191	401076
	1"	100	1.286	401078
	1-1/8"	100	1.409	401079
	1-1/4"	100	1.532	401080
	1-3/8"	100	1.655	401081
	1-1/2"	100	1.777	401082
	1-3/4"	100	2.023	401084
	2"	100	2.268	401086
	2-1/4"	100	2.509	401088
	2-1/2"	100	2.755	401090
	2-3/4"	100	3.000	401092
	3"	100	3.245	401094
	3-1/4"	50	3.491	401095
	3-1/2"	50	3.732	401096
	3-3/4"	50	3.977	401097





**1/2" INCH  
HEXAGON BOLT  
ASTM F593  
316 STAINLESS STEEL**



**3/8" INCH  
HEXAGON BOLT  
ASTM F593  
316 STAINLESS STEEL**

Diameter	Length	Box	Weight KG/100	Code
<b>5/16" UNC ... Continues</b>				
	4"	50	4.223	401098
	4-1/2"	50	4.714	401099
	5"	50	5.200	401101
	5-1/2"	50	5.691	401103
	6"	50	6.177	401105
<b>5/16" UNF</b>	1/2"	100	0.905	401100
	5/8"	100	1.000	401102
	3/4"	100	1.095	401104
	7/8"	100	1.191	401106
	1"	100	1.286	401108
	1-1/4"	100	1.532	401110
	1-1/2"	100	1.777	401112
	1-3/4"	100	2.023	401114
	2"	100	2.268	401116
	2-1/4"	100	2.509	401118
	2-1/2"	100	2.755	401120
	2-3/4"	100	3.000	401122
	3"	100	3.245	401124
	3-1/4"	50	3.491	401125
	3-1/2"	50	3.732	401126
	3-3/4"	50	3.977	401127
	4"	50	4.223	401128
	4-1/2"	50	4.714	401129
	5"	50	5.200	401131
	5-1/2"	50	5.691	401133
	6"	50	6.177	401135
<b>3/8" UNC</b>	1/2"	100	1.332	401130
	5/8"	100	1.473	401132
	3/4"	100	1.614	401134
	7/8"	100	1.755	401136
	1"	100	1.895	401138
	1-1/8"	100	2.055	401139
	1-1/4"	100	2.209	401140
	1-1/2"	100	2.564	401142
	1-3/4"	100	2.918	401144
	2"	100	3.268	401146
	2-1/4"	100	3.623	401148
	2-1/2"	100	3.973	401150
	2-3/4"	100	4.327	401152
	3"	100	4.682	401154
	3-1/4"	50	5.032	401156
	3-1/2"	50	5.386	401158
	3-3/4"	50	5.736	401160
	4"	50	6.091	401162
	4-1/4"	50	6.445	401163
	4-1/2"	50	6.795	401164
	4-3/4"	50	7.150	401165
	5"	50	7.500	401166
	5-1/2"	50	8.209	401168
	6"	50	8.914	401169
<b>3/8" UNF</b>	1/2"	100	1.332	401172
	5/8"	100	1.473	401174
	3/4"	100	1.614	401176
	7/8"	100	1.755	401178
	1"	100	1.895	401180
	1-1/8"	100	2.055	401181
	1-1/4"	100	2.209	401182
	1-1/2"	100	2.564	401184
	1-3/4"	100	2.918	401186
	2"	100	3.268	401190
	2-1/4"	100	3.623	401192

Diameter	Length	Box	Weight KG/100	Code
<b>3/8" UNF ... Continues</b>				
	2-1/2"	100	3.973	401194
	2-3/4"	100	4.327	401196
	3"	100	4.682	401198
	3-1/4"	50	5.032	401200
	3-1/2"	50	5.386	401202
	3-3/4"	50	5.736	401204
	4"	50	6.091	401206
	4-1/2"	50	6.795	401208
	5"	50	7.500	401210
	5-1/2"	50	8.209	401211
	6"	50	8.914	401212
<b>7/16" UNC</b>	3/4"	100	2.309	401214
	7/8"	100	2.500	401216
	1"	100	2.691	401218
	1-1/8"	100	2.882	401219
	1-1/4"	50	3.073	401220
	1-3/8"	50	3.314	401221
	1-1/2"	50	3.555	401222
	1-3/4"	50	4.036	401224
	2"	50	4.518	401226
	2-1/4"	50	5.000	401228
	2-1/2"	50	5.482	401230
	2-3/4"	50	5.964	401232
	3"	50	6.445	401234
	3-1/4"	25	6.927	401236
	3-1/2"	25	7.409	401238
	3-3/4"	25	7.891	401240
	4"	25	8.368	401242
	4-1/2"	25	9.332	401244
	5"	25	10.295	401246
	5-1/2"	25	11.259	401247
	6"	25	12.223	401248
<b>7/16" UNF</b>	3/4"	100	2.309	401250
	7/8"	100	2.500	401252
	1"	100	2.691	401254
	1-1/8"	100	2.882	401255
	1-1/4"	50	3.073	401256
	1-1/2"	50	3.555	401258
	1-3/4"	50	4.036	401260
	2"	50	4.518	401262
	2-1/4"	50	5.000	401264
	2-1/2"	50	5.482	401266
	2-3/4"	50	5.964	401268
	3"	50	6.445	401270
	3-1/4"	25	6.927	401272
	3-1/2"	25	7.409	401274
	3-3/4"	25	7.891	401276
	4"	25	8.368	401278
	4-1/2"	25	9.332	401280
	5"	25	10.295	401282
	5-1/2"	25	11.259	401283
	6"	25	12.223	401284
<b>1/2" UNC</b>	3/4"	50	3.682	401290
	7/8"	50	3.936	401292
	1"	50	4.191	401294
	1-1/8"	50	4.445	401295
	1-1/4"	50	4.700	401296
	1-3/8"	50	4.986	401297
	1-1/2"	50	5.268	401298
	1-5/8"	50	5.582	401299
	1-3/4"	50	5.895	401300





**1/2" INCH  
HEXAGON BOLT  
ASTM F593  
316 STAINLESS STEEL**



**1/2" INCH  
HEXAGON BOLT  
ASTM F593  
316 STAINLESS STEEL**

Diameter	Length	Box	Weight KG/100	Code
<b>1/2" UNC ... Continues</b>				
	1-7/8"	50	6.209	401301
	2"	50	6.523	401302
	2-1/4"	50	7.150	401304
	2-1/2"	50	7.777	401306
	2-3/4"	50	8.405	401308
	3"	50	9.032	401310
	3-1/4"	25	9.659	401312
	3-1/2"	25	10.286	401314
	3-3/4"	25	10.914	401316
	4"	25	11.541	401318
	4-1/4"	25	12.168	401319
	4-1/2"	25	12.795	401320
	4-3/4"	25	13.618	401321
	5"	15	14.050	401322
	5-1/4"	15	14.677	401323
	5-1/2"	15	15.305	401324
	5-3/4"	15	15.932	401325
	6"	10	16.559	401326
	6-1/2"	10	17.545	401328
	7"	10	18.591	401331
	7-1/2"	10	19.773	401333
	8"	10	20.955	401335
<b>1/2" UNF</b>	3/4"	50	3.682	401330
	7/8"	50	3.936	401332
	1"	50	4.191	401334
	1-1/4"	50	4.700	401336
	1-3/8"	50	4.986	401337
	1-1/2"	50	5.268	401338
	1-3/4"	50	5.895	401340
	2"	50	6.523	401342
	2-1/4"	50	7.150	401344
	2-1/2"	50	7.777	401346
	2-3/4"	50	8.405	401348
	3"	50	9.032	401350
	3-1/4"	25	9.659	401352
	3-1/2"	25	10.286	401354
	3-3/4"	25	10.914	401356
	4"	25	11.541	401358
	4-1/2"	25	12.795	401360
	5"	15	14.050	401362
	5-1/2"	15	15.305	401364
	6"	10	16.559	401366
	6-1/2"	10	17.545	401368
	7"	10	18.591	401371
	7-1/2"	10	19.773	401373
	8"	10	20.955	401375
<b>9/16" UNC</b>	1"	25	5.127	401370
	1-1/4"	25	5.777	401372
	1-1/2"	25	6.427	401374
	1-3/4"	25	7.223	401376
	2"	25	8.018	401378
	2-1/4"	25	8.814	401380
	2-1/2"	25	9.609	401382
	2-3/4"	25	10.409	401384
	3"	25	11.205	401386
	3-1/2"	25	12.795	401388
	4"	25	14.386	401390
	4-1/2"	25	15.977	401391
	5"	25	17.568	401392
	5-1/2"	25	19.164	401393
	6"	25	20.755	401394

Diameter	Length	Box	Weight KG/100	Code
<b>9/16" UNF</b>	1"	25	5.127	401396
	1-1/4"	25	5.777	401398
	1-1/2"	25	6.414	401400
	1-3/4"	25	7.223	401402
<b>9/16" UNF ... Continues</b>				
	2"	25	8.018	401404
	2-1/4"	25	8.814	401406
	2-1/2"	25	9.609	401408
	2-3/4"	25	10.409	401410
	3"	25	11.205	401412
	3-1/2"	25	12.795	401414
	4"	25	14.386	401416
	4-1/2"	25	15.977	401417
	5"	25	17.568	401418
	5-1/2"	25	19.164	401419
	6"	25	20.755	401420
<b>5/8" UNC</b>	1"	25	6.891	401424
	1-1/4"	25	7.695	401426
	1-1/2"	25	8.500	401428
	1-3/4"	25	9.391	401430
	2"	25	10.373	401432
	2-1/4"	25	11.350	401434
	2-1/2"	25	12.332	401436
	2-3/4"	25	13.309	401438
	3"	25	14.291	401440
	3-1/4"	25	15.268	401442
	3-1/2"	25	16.250	401444
	3-3/4"	25	17.227	401445
	4"	25	18.209	401446
	4-1/4"	25	19.191	401447
	4-1/2"	25	20.168	401448
	4-3/4"	25	21.150	401449
	5"	25	22.127	401450
	5-1/4"	25	23.109	401451
	5-1/2"	25	24.086	401452
	5-3/4"	25	25.068	401453
	6"	25	26.045	401454
	6-1/2"	10	28.000	401456
	7"	10	29.909	401458
	7-1/2"	10	31.818	401461
	8"	10	33.682	401463
<b>5/8" UNF</b>	1"	25	6.891	401460
	1-1/4"	25	7.695	401462
	1-1/2"	25	8.500	401464
	1-3/4"	25	9.391	401466
	2"	25	10.373	401468
	2-1/4"	25	11.350	401470
	2-1/2"	25	12.332	401472
	2-3/4"	25	13.309	401474
	3"	25	14.291	401476
	3-1/4"	25	15.268	401478
	3-1/2"	25	16.250	401480
	3-3/4"	25	17.227	401481
	4"	25	18.209	401482
	4-1/2"	25	20.168	401484
	5"	25	22.127	401486
	5-1/2"	25	24.086	401488
	6"	25	26.045	401490
	6-1/2"	10	28.000	401492
	7"	10	29.909	401494
	7-1/2"	10	31.818	401496
	8"	10	33.682	401498





**INCH**  
**HEXAGON BOLT**  
ASTM F593  
**316 STAINLESS STEEL**




**INCH**  
**HEXAGON BOLT**  
ASTM F593  
**316 STAINLESS STEEL**

Diameter	Length	Box	Weight KG/100	Code
<b>3/4" UNC</b>	1"	25	11.118	401500
	1-1/4"	25	12.300	401502
	1-1/2"	25	13.482	401504
	1-3/4"	25	14.664	401506
	2"	25	15.964	401508
	2-1/4"	25	17.377	401510
	2-1/2"	25	18.791	401512
	2-3/4"	25	20.205	401514
	3"	25	21.618	401516
	3-1/4"	25	23.032	401518
	3-1/2"	25	24.445	401520
	3-3/4"	25	25.859	401522
	4"	10	27.273	401524
	4-1/4"	10	28.686	401525
	4-1/2"	10	30.100	401526
	4-3/4"	10	31.514	401527
	5"	10	32.927	401528
	5-1/2"	10	35.755	401530
	6"	10	38.582	401532
	6-1/2"	10	41.318	401534
<b>3/4" UNF</b>	7"	10	44.045	401536
	7-1/2"	10	46.818	401538
	8"	10	49.545	401541
	1"	25	11.209	401540
	1-1/4"	25	12.300	401542
	1-1/2"	25	13.482	401544
	1-3/4"	25	14.664	401546
	2"	25	15.964	401548
	2-1/4"	25	17.377	401550
	2-1/2"	25	18.791	401552
	2-3/4"	25	20.205	401554
	3"	25	21.618	401556
	3-1/4"	25	23.032	401558
	3-1/2"	25	24.445	401560
	3-3/4"	25	25.859	401562
	4"	10	27.273	401564
	4-1/2"	10	30.100	401566
	5"	10	32.927	401568
	5-1/2"	10	35.755	401570
	6"	10	38.582	401572
6-1/2"	10	41.318	401574	
7"	10	44.045	401576	
7-1/2"	10	46.818	401578	
8"	10	49.545	401579	
<b>7/8" UNC</b>	1-1/2"	15	19.964	401575
	1-3/4"	15	21.586	401577
	2"	15	23.209	401580
	2-1/4"	15	24.982	401582
	2-1/2"	15	26.905	401584
	2-3/4"	15	28.827	401586
	3"	15	30.750	401588
	3-1/4"	15	32.673	401590
	3-1/2"	15	34.595	401592
	3-3/4"	15	36.518	401594
	4"	15	38.441	401596
	4-1/4"	15	40.364	401597
	4-1/2"	15	42.286	401598
	5"	15	46.132	401600
	5-1/2"	15	49.977	401602
	6"	15	53.823	401604
	6-1/2"	10	57.727	401606
	7"	10	61.364	401608

Diameter	Length	Box	Weight KG/100	Code
<b>7/8" UNC ... Continues</b>				
<b>7/8" UNF</b>	8"	10	68.636	401610
	1-1/2"	15	19.964	401613
	1-3/4"	15	21.586	401616
	2"	15	23.209	401620
	2-1/4"	15	24.982	401622
	2-1/2"	15	26.905	401624
	2-3/4"	15	28.827	401626
	3"	15	30.750	401628
	3-1/4"	15	32.673	401630
	3-1/2"	15	34.595	401632
	3-3/4"	15	36.518	401634
	4"	15	38.441	401636
	4-1/2"	15	42.286	401638
	5"	15	46.132	401640
	5-1/2"	15	49.977	401642
	6"	15	53.823	401644
	6-1/2"	10	57.727	401646
	<b>1" UNC</b>	7"	10	61.364
8"		10	68.636	401650
1-1/2"		10	27.627	401656
1-3/4"		10	29.755	401658
2"		10	31.882	401660
2-1/4"		10	34.009	401662
2-1/2"		10	36.327	401664
2-3/4"		10	38.836	401666
3"		10	41.345	401668
3-1/4"		10	43.855	401670
3-1/2"		10	46.364	401672
4"		10	51.382	401674
4-1/2"		10	56.400	401676
5"		10	61.418	401678
5-1/2"		10	66.436	401680
6"		5	71.455	401682
6-1/2"		5	77.273	401684
<b>1" UNF 14TPI</b>		7"	5	81.818
	8"	5	91.818	401686
	1-1/2"	10	27.627	401688
	1-3/4"	10	29.755	401689
	2"	10	31.882	401690
	2-1/4"	10	34.009	401692
	2-1/2"	10	36.327	401694
	2-3/4"	10	38.836	401696
	3"	10	41.345	401698
	3-1/4"	10	43.855	401700
	3-1/2"	10	46.364	401702
	4"	10	51.382	401704
	4-1/2"	10	56.400	401706
	5"	10	61.418	401708
	5-1/2"	10	66.436	401710
	6"	5	71.455	401712
	6-1/2"	5	77.273	401714
	7"	5	81.818	401715
8"	5	91.818	401716	





Nominal Size or Basic Product Diameter	E Body Diameter		Basic	F Width Across Flats		Basic	G Width Across Corners		Basic	H Head Height		J Wrench- ing Height	L <sub>T</sub> Thread Length for Screw Lengths		Y Transi- tion Thread Length	Circular Runout of Bearing Surface FIM
	Max	Min		Max	Min		Max	Min		Max	Min		Nom	Nom		
1/4	0.2500	0.2450	7/16	0.438	0.428	5/32	0.163	0.150	0.106	0.750	1.000	0.250	0.010			
5/16	0.3125	0.3065	1/2	0.500	0.489	13/64	0.211	0.195	0.140	0.875	1.125	0.278	0.011			
3/8	0.3750	0.3690	9/16	0.562	0.551	15/64	0.243	0.226	0.160	1.000	1.250	0.312	0.012			
7/16	0.4375	0.4305	5/8	0.625	0.612	9/32	0.291	0.272	0.195	1.125	1.375	0.357	0.013			
1/2	0.5000	0.4930	3/4	0.750	0.736	5/16	0.323	0.302	0.215	1.250	1.500	0.385	0.014			
9/16	0.5625	0.5545	13/16	0.812	0.798	23/64	0.371	0.348	0.250	1.375	1.625	0.417	0.015			
5/8	0.6250	0.6170	15/16	0.938	0.922	25/64	0.403	0.378	0.269	1.500	1.750	0.455	0.017			
3/4	0.7500	0.7410	1-1/8	1.125	1.100	15/32	0.483	0.455	0.324	1.750	2.000	0.500	0.020			
7/8	0.8750	0.8660	1-5/16	1.312	1.285	35/64	0.563	0.531	0.378	2.000	2.250	0.556	0.023			
1	1.0000	0.9900	1-1/2	1.500	1.469	39/64	0.627	0.591	0.416	2.250	2.500	0.625	0.026			
1-1/8	1.1250	1.1140	1-11/16	1.688	1.631	11/16	0.718	0.658	0.461	2.500	2.750	0.714	0.029			
1-1/4	1.2500	1.2390	1-7/8	1.875	1.812	25/32	0.813	0.749	0.530	2.750	3.000	0.714	0.033			
1-3/8	1.3750	1.3630	2-1/16	2.062	1.994	27/32	0.878	0.810	0.569	3.000	3.250	0.833	0.036			
1-1/2	1.5000	1.4880	2-1/4	2.250	2.175	1-5/16	0.974	0.902	0.640	3.250	3.500	0.833	0.039			
1-3/4	1.7500	1.7380	2-5/8	2.625	2.538	1-3/32	1.134	1.054	0.748	3.750	4.000	1.000	0.046			



# CONDITIONS OF SALE

Amend 1 - 1 January 1997



## 1. Introduction

These Conditions shall apply to all sales of goods by the Company to exclusion of all other terms, conditions and warranties. The Company shall not be bound by any representation, guarantee or warranty made by its employees, agents or representatives. These Conditions shall not be varied save by written agreement between the Company and the Buyer.

2. These Conditions or any agreed change to these Conditions shall in all respects operate in conformity with English and European Laws.

3. The Company shall not be liable for any inability to comply with its obligations under an order due to any cause whatsoever beyond its reasonable control, including (but not limited hereto) war, riot strike or lock-out, act of God, storm, fire, earthquake, explosion, flood, confiscation, action of any government or government agency, or shortage of goods and time for delivery shall be extended by a period corresponding to the period to such inability provided always that either the Company or the Buyer may give notice in writing to the other cancelling deliveries which should have been made during a period of force majeure in the event of such period extending beyond 84 consecutive days.

## 4. Price

The prices shown in the Price Lists are the manufacturer's quoted prices at the date of printing and in the event of any changes in the same prior to the date upon which the goods are dispatched by the Company, the Company may increase the price accordingly and will invoice the Buyer at the amended price; all prices are ex-works. Prices in the list are for the sole use of distributors. Care has been taken in compiling this price list, responsibility cannot be accepted for errors or omissions.

## 5. Delivery

(a) Dates given by the Company for delivery are estimated only but will be maintained as closely as possible, the Company will not be responsible for any losses caused to the Buyer by late delivery.

(b) Each delivery of goods in accordance with an order shall be deemed to constitute a separate contract to which these items and conditions shall, so far as it is possible, apply and failure to make any delivery shall not terminate the order as to future deliveries.

## 6. Risk & Title

Acceptance of any orders for goods shall comprise an agreement to sell the goods and not a sale of them and no title to the goods shall pass to the intended Buyer by reason of delivery and acceptance of the same. The Company shall remain the owner of the goods until all sums owed by the intended Buyer to the Company or any company in the Company's Group and any and all claims by the Company or any company in the Company's Group against the intended Buyer arising from the Company's or any company in the Company's Group business relationship including all sums owed as a result of contract entered into at a future date or simultaneously have been paid in full. Until such time the intended Buyer shall be the bailee of the goods for the Company and shall store them on his premises separately from his own goods and those of any other person and in a manner which renders them immediately identifiable as the goods of the Company. The Company may for the purpose of removing its goods enter upon any premises where they are stored or where they are reasonably believed to be stored and may repossess the same. All risk in the goods passes on delivery of the goods.

The Buyer shall insure all the goods on the Buyers premises or under its control with a reputable insurance company in respect of all risks as a prudent owner would insure goods on a full indemnity basis against any and all losses or damage.

## 7. Carriage

No claim for damage to or loss of the goods or part thereof in transit will be considered by the Company unless the Buyer:

(a) despatches separate written notice to the carrier concerned, if any, and to the Company of the damage or shortage within seven days of delivery of the goods or, in the event of loss of the goods, within seven days of the notified date of despatch.

(b) submits a detailed claim in writing to the Company within five days of the date of the notice given under (a) above, and

(c) endorsed, where applicable, on the carrier's receipt that the goods had been accepted without examination.

## 8. Payment

Payment shall be made within 30 days of the end of the month in which delivery is made and if payment is overdue the Company reserves the right to charge

interest on the price at the rate of 2% per month from the date by which payment should have been made until day of payment provided always that the payment of such interest shall be in addition to all other rights of the Company. All reasonable costs incurred in recovery of overdue debts will be charged in addition to all other rights of the Company.

9. Without prejudice to their rights to damages the Company may terminate the contract by notice in writing if the Buyer fails to take any delivery of goods when due or makes default in any payment when due.

10. If the Buyer shall commit any act of bankruptcy or being a Limited Company if any resolution of petition to wind up such company's business shall be passed or presented or a receiver be appointed of its undertaking, property or assets or any part thereof or if the Buyer, whether an individual of company, shall have any execution or distress levied upon any of his or its goods or property all unpaid invoices of the Company shall come immediately due and payable the Company shall have the right to determine any contract then subsisting without prejudice to any claim or right the Company might otherwise make or exercise.

## 11. Warranties and Exclusions

The Company does not warrant, guarantee or hold that the goods are of merchantable quality or fit for any purpose, whether such purpose is known to the Company or not and in the event of the Buyer receiving defective goods it must forthwith notify the Company of the same and if requested return the goods to the Company for transmission to the manufacturer. The Company must use its best endeavours to obtain the benefits of any guarantee given by the manufacturer and its liability to the Buyer shall be limited to any sum received by it thereunder in no event shall the Company be liable for consequential loss, if any, suffered by the Buyer.

12. Hydrogen embrittlement occurs in heat treated products which are chemically cleaned and/or electrolytically plated. Hydrogen molecules permeate the steel and disjoin the grain structure and this could result in a failure in the product. Subsequent heating is no guarantee that the risk of Hydrogen embrittlement has been removed therefore fasteners plated by any sources other than Brighton Best are not guaranteed and not subject to return, also fasteners modified by any source other than Brighton-Best are not guaranteed and not subject to return. Fasteners are not accepted for return without our permission.

## 13. Shortages

If the Customer notifies the Company in writing within 10 days of delivery of goods of any shortages, that exceed 5% of the Shipment Quantity, and the Company is satisfied that such shortages occurred before delivery then the Company will either make good the shortage at its own cost within such time as may be reasonable for the Company having regard to its commitments or, at the option of the Company, reduce the purchase price by the price of the goods not delivered. In no other circumstances shall the Company be liable for any shortages nor shall the Customer be entitled to any other relief in respect of shortages.

## 14. Manufactured Special Parts

If the Company undertakes to have goods manufactured to the Buyer's patent or specification no responsibility will be accepted in respect of any infringement of patent rights, trade marks or registered designs. The Buyer will indemnify the Company against any claim whatsoever for damages, costs or any other losses in respect of any proceedings or otherwise resulting from the Company's compliance with the Buyer's instructions express or implied. Cancellation or modification of any order for special goods cannot be accepted once manufacture has commenced. The Company may advise and supply 10% more or less than the exact quantity ordered and any such excess or shortage will be charged for or deducted pro-rata.

## 15. General

The prices specified in this Price List are exclusive of Value Added Tax and the Buyer shall pay to the Company a sum equal to such tax in addition to and at the same time as the prices so specified.

16. Any notice sent by post in accordance with these Conditions shall be deemed to have been delivered or served 48 hours after the same shall have been posted in a properly addressed pre-paid envelope and proof of posting shall be sufficient proof of service.

17. The Company will amend quantities to fall within the nearest "Box" quantity.

18. These Conditions do not constitute any partnership or agency between the Company and the Buyer.

19. If any part of any provision of these Conditions shall to any extent be invalid or unenforceable the remainder of such provision and all other provisions hereof shall be unaffected thereby and enforceable to the fullest extent permitted by law.



#### SOCKET CAP SCREWS

METRIC	STEEL 12.9	532
METRIC	STEEL NON STANDARD	594
METRIC	STEEL 12.9 ZINC PLATE	911
METRIC	A2 ST STEEL	538
METRIC	FINE PITCH STEEL 12.9	532
METRIC	LOW HEAD	531
UNC UNF	1960 ALLOY STEEL	011
UNC UNF	STEEL NON STANDARD	581
UNC UNF	1936 ALLOY STEEL	307
UNC UNF	ALLOY STEEL MECH ZINC	837
UNC UNF	SEEL NYLON PATCH	015
UNC UNF	STEEL NYLON PELLET	271
UNC UNF	A2 ST STEEL	012
UNC UNF	A2 ST STEEL NON STD	592
UNC UNF	A2 ST STEEL NYLON PATCH	016
UNC UNF	A4 ST STEEL	014
UNC UNF	SILICON BRONZE	017
UNC UNF	MONEL	018
UNC UNF	LOW HEAD	019
WHITWORTH	STEEL 12.9	813
BSP	STEEL 12.9	813
BA	STEEL 12.9	820



#### SOCKET SHOULDER SCREWS

METRIC	STEEL 12.9	537
METRIC	A2 ST STEEL	
UNC UNF	STEEL 12.9	221
UNC UNF	NON STANDARD	711
UNC UNF	A2 ST STEEL	710
UNC UNF	STEEL NYLON PATCH	225
UNC UNF	STEEL NYLON PELLET	295



#### DOWEL PINS

METRIC	H&G STEEL	536
METRIC	EXTRACTABLE	548
METRIC	STAINLESS STEEL	549
INCH	H&G STEEL	241
INCH	STAINLESS STEEL	242
INCH	OVER-SIZE	251
INCH	PULL OUT	261



#### SOCKET PRESSURE PIPE PLUGS

BSPT	STEEL	822
NPTF 3/4	STEEL DRY SEAL	231
NPTF 7/8	STEEL FLUSH SEAL	233
NPTF 3/4	ST STEEL	232
NPTF 3/4	BRASS	230
METRIC	STEEL	



#### HEXAGON KEYS

METRIC	SHORT ARM 8650	530
METRIC	SHORT ARM 6150	513
METRIC	LONG ARM 8650	528
INCH	SHORT ARM 8650	509
INCH	LONG ARM 8650	519
METRIC	POUCH & TEE KITS	529
INCH	POUCH & TEE KITS	529



#### HEX BOLTS AND HEX SET SCREWS

METRIC	8.8 DIN 931 933	815
METRIC	10.9 DIN 931 933	460
UNC UNF	US GRADE 5 S 8.8	847
UNC UNF	US GRADE 5 NON	846
UNC UNF	SAE GRADE 8 10.9	450
UNC UNF	SAE GRADE 8 NON	451
UNC UNF	L9	440
UNC UNF	STAINLESS STEEL	



#### NUTS

METRIC	FULL NUTS GRADE 10	315
UNC UNF	SAE 5 NUTS	848
UNC UNF	SAE 8 NUTS	306
UNC UNF	SAE 8 NUTS LARGE	308
UNC UNF	L9 FULL NUT	444
UNC UNF	L9 LOCKING NUT	446
UNC UNF	JAM NUTS	616
METRIC	NYLON INSERT DIN982	612
METRIC	NYLON INSERT DIN985	612
UNC UNF	NYLON INSERT NE & NM	305
UNC UNF	NYLON INSERT NE/NM A2	310
UNC UNF	NYLON INSERT NE & NM	305
UNC UNF	NYLON INSERT NE/NM A2	310
UNC UNF	NYLON INSERT NE & NM	310



#### SOCKET COUNTERSUNK (flat) SCREWS

METRIC	STEEL 10.9	534
METRIC	STEEL 10.9 ZINC PLATED	913
METRIC	A2 ST STEEL	823
UNC UNF	ALLOY STEEL	211
UNC UNF	ALLOY STEEL NON STD	721
UNC UNF	STEEL MECH ZINC	840
UNC UNF	STEEL NYLON PATCH	215
UNC UNF	STEEL NYLON PELLET	293
UNC UNF	A2 ST STEEL	212
UNC UNF	A2 ST STEEL NON STD	712
WHITWORTH	STEEL	814
BSP	STEEL	814
BA	STEEL	818



#### TEE BOLTS

WHITWORTH	STEEL 12.9	948
METRIC	STEEL 12.9	948



#### WASHERS

INCH	US 8 FLAT	351
INCH	SAE8 FLAT	381
INCH	GRADE 8 SPRING	341
INCH	L9 SPECIAL	448
INCH	HIGH COLLAR SPRING	013
METRIC	US FLAT	371
METRIC	SPRING	361



#### SPRING TENSION PINS

METRIC	STEEL	802
METRIC	STAINLESS STEEL	
INCH	STEEL	801
INCH	STAINLESS STEEL	803

#### TAMPER RESISTANT

UNC UNF	SOCKET CAP	610
UNC UNF	SOCKET CSK	608
UNC UNF	SOCKET BUTTON	606
UNC UNF	A2 SOCKET CAP	811
UNC UNF	A2 SOCKET CSK	609
UNC UNF	A2 SOCKET BUTTON	607
INCH	HEXAGON KEY	510



#### SOCKET BUTTON HEAD SCREWS

METRIC	STEEL 10.9	535
METRIC	STEEL 10.9 ZINC PLATED	914
METRIC	A2 ST STEEL	824
METRIC	FLANGE BUTTONS	965
METRIC	FLANGE BUTTONS ZINC	921
METRIC	FLANGE BUTTONS A2	
UNC UNF	ALLOY STEEL	201
UNC UNF	ALLOY STEEL NON STD	701
UNC UNF	STEEL NYLON PATCH	225
UNC UNF	STEEL NYLON PELLET	295
UNC UNF	A2 ST STEEL	202
UNC UNF	A2 ST STEEL NON STD	702
WHITWORTH	STEEL	817
BSP	STEEL	817
BA	STEEL	819



#### SOCKET SET SCREWS

<b>CUP POINT</b>		
METRIC	STEEL 14.9	533
METRIC	STEEL 14.9 ZINC PLATED	912
METRIC	FINE PITCH	533
METRIC	A2 ST STEEL	539
METRIC	FINE STEEL	533
UNC UNF	ALLOY STEEL	101
UNC UNF	STEEL NYLON PATCH	105
UNC UNF	STEEL NYLON PELLET	281
UNC UNF	STEEL MECH ZINC	838
UNC UNF	STEEL NON STD	601
UNC UNF	A2 ST STEEL	102
UNC UNF	A2 ST STEEL NON STD	602
UNC UNF	A2 ST STEEL NYLON PATCH	108
UNC UNF	A4 ST STEEL	104
UNC UNF	MONEL	108
UNC UNF	BRASS	107
WHITWORTH	STEEL 12.9	922
BSP	STEEL 12.9	923
BA	STEEL 12.9	924

#### KNURLED CUP POINT

METRIC	STEEL 14.9	821
UNC UNF	STEEL	111
UNC UNF	STEEL NON STD	

#### CONE POINT

METRIC	STEEL 14.9	831
UNC UNF	STEEL	121
UNC UNF	STEEL NON STD	604
UNC UNF	STEEL NYLON PATCH	125
UNC UNF	A2 ST STEEL	704

#### DOG POINT

METRIC	STEEL 14.9	833
UNC UNF	STEEL	141
UNC UNF	STEEL NON STD	606
UNC UNF	STEEL NYLON PATCH	145
UNC UNF	A2 ST STEEL	706

#### FULL DOG

UNC UNF	STEEL FULL DOG	607
UNC UNF	A2 ST STEEL FULL DOG	707

#### FLAT POINT

METRIC	STEEL 14.9	632
UNC UNF	STEEL	151
UNC UNF	STEEL NON STD	603
UNC UNF	STEEL NYLON PATCH	155
UNC UNF	A2 ST STEEL	703

#### OVAL POINT

UNC UNF	STEEL	131
UNC UNF	STEEL NON STD	605
UNC UNF	STEEL NYLON PATCH	135
UNC UNF	A2 ST STEEL	705

#### SOCKET SET SCREWS TIPPED

UNC UNF	STEEL NYLON TIP	475
UNC UNF	STEEL BRASS TIP	476
UNC UNF	A2 NYLON TIP	477

#### SLOTTED

METRIC	STEEL 12.9 DIN 553 CONE	982
	STEEL 12.9 DIN 551 FLAT	980



**BRIGHTON-BEST INTERNATIONAL**  
www.brightonbest.co.uk



Phone: +44 (0) 121 553 4674  
Fax: +44 (0) 121 553 5024  
Email: sales@brightonbest.org